



ADVANCE SYSTEMS

HM Series Hot Melt

English



***HM 5000
GLASS HOT MELT***

The Advance Systems Hotmelt HM 5000 is a cutting-edge solution tailored for constant production, offering efficient production capabilities for glass sealed units. With a focus on reliability and performance, this machine is designed to produce over 350 units within an 8-hour shift, ensuring optimal productivity for your business.

Key Features:

Average Production: Designed to produce over 350 sealed units per 8-hour shift, meeting the demands of largest scale operations.

Hopper Capacity: Equipped with a spacious 200 KG hopper, minimising downtime for refills and ensuring continuous operation.

Variable Output: Offers a versatile output range of 0-5000 Grammes/min, allowing for precise control over adhesive application based on specific requirements.

Six separate heated zones

Over temperature: Alarm and cut out

One-touch setting for all sealants

Constant scrolling display on all zones

Standby mode: Protecting the material

Calibration programme

Timer: Built in

Low Temperature Cut Out: Incorporates a low temperature cut out mechanism,

Display: Features a user friendly scrolling display, facilitating easy monitoring of machine status and heated zones.

Power Rating: Operates efficiently with a power rating of 415V 20 amps per phase 4kw balancing performance and energy consumption effectively.

Dimensions:

Height: 1580mm

Width: 1310mm

Depth: 510mm

Machine Weight:

Weighing approximately 300 KG, the Advance Systems Glass Hotmelt HM 5000 strikes a balance between stability and portability, making it suitable for various working environments.

Additional Information:

Construction: Manufactured in the UK Crafted with durable materials and precision engineering, ensuring long-term reliability and consistent performance.

Maintenance: Designed for easy maintenance and serviceability, minimising downtime and maximising operational uptime.

Compatibility: Compatible with a wide range of hot melt adhesives, offering versatility to meet diverse application needs.

Safety: Engineered with built-in safety features to ensure operator protection and compliance with industry standards.

Enhance Your Production Efficiency with Advance Systems Hot melt HM 5000: